

| MATERIAL NOTES | | | | | |
|-----------------------------|-------|-------------|-------|----------|----------|
| 17514 | NOM. | CORE | CORE | FACE | ВАСК |
| ITEM | THICK | MATERIAL | GRADE | MATERIAL | MATERIAL |
| LEFT VERTICAL SIDE | 3/4" | VENEER CORE | N/A | RAW | RAW |
| RIGHT VERTICAL SIDE | 3/4" | VENEER CORE | N/A | RAW | RAW |
| TOP HORIZONTAL COMPONENT | 3/4" | VENEER CORE | N/A | RAW | RAW |
| BOTTOM HORIZONTAL COMPONENT | 3/4" | VENEER CORE | N/A | RAW | RAW |
| ADJUSTABLE SHELF | " | VENEER CORE | N/A | RAW | RAW |
| VERTICAL BACK COMPONENT | 1/4" | VENEER CORE | N/A | RAW | RAW |
| HINGED DOORS | 3/4" | VENEER CORE | N/A | RAW | RAW |
| NAILER COMPONENT | 3/4" | VENEER CORE | N/A | RAW | RAW |

PERMISSIBLE TOLERANCES

- PERMISSIBLE TOLERANCES, PROVIDED ALL AESTHETIC STANDARD REQUIREMENTS ARE MET:
- •• STRETCHERS AND NAILERS MAY ALLOW FOR A TOLERANCE OF +/- I.6MM [I/I6"] IN WIDTH
- MACHINED JOINERY AND FASTENERS USED FOR STRUCTURAL PERFORMANCE MUST MAINTAIN SPACING PATTERN BASED ON TESTED PRODUCT AND ENGINEERING DRAWINGS
- •• MACHINING +/- I MM [.039"], EXCLUDING DRILL DIAMETERS
- ADDITIONAL FASTENERS AND/OR ADHESIVE MAY BE USED TO MEET AESTHETIC REQUIREMENTS

*SUBJECT TO CHANGE WITHOUT NOTICE. LATEST EDITION WILL BE ENFORCED.

GENERAL NOTES

- THESE DRAWINGS DO NOT INDICATE CONFORMANCE WITH AWI STANDARDS. MANUFACTURERS SHALL ACQUIRE AN OFFICIAL AWI TEST REPORT IN ORDER TO INDICATE CONFORMANCE.
- CABINET SIZE AND CONFIGURATION MAY BE ALTERED AS LONG AS JOINERY, SPACING, AND LOCATION REQUIREMENTS ARE FOLLOWED.
- ALL JOINERY SHALL MEET THE TOLERANCES OF AWI STANDARDS.
- DOWELS SHALL BE 8MM X 30MM.
- CONSTRUCTION ILLUSTRATED HEREIN IS CONFORMING FOR ALL FRAMELESS DOOR AND DRAWER OVERLAYS.










Standards Development and Performance Testing

1310 Southerfield Road Americus, GA 31709

| Drawn By: | HD | R | EVISIONS | SPECIMEN DWG. NO.: W-2.1 | | |
|--------------|-----|-------------|-----------------|------------------------------------------|--|--|
| Reviewed By: | - | \triangle | - | JOINERY METHOD NO.: 7nn X 50mm CONFIRMAT | | |
| Revised By: | HKM | 2 | 7/7/2020 | SPECIMEN MATERIAL: VENEER CORE | | |
| Revised By: | HKM | 3 | 7/9/2021 | BATCH QUANTITY: - | | |
| Approved By: | - | 4 | - | SCALE: AS NOTED | | |







Standards Development and Performance Testing

1310 Southerfield Road Americus, GA 31709

| Drawn By: | HD | R | EVISIONS | SPECIMEN DWG. NO.: W-2.2 |
|--------------|-----|-------------|-----------------|------------------------------------------|
| Reviewed By: | - | \triangle | - | JOINERY METHOD NO.: 7mm X 50mm CONFIRMAT |
| Revised By: | HKM | 2 | 7/7/2020 | SPECIMEN MATERIAL: VENEER CORE |
| Revised By: | HKM | 3 | 7/9/2021 | BATCH QUANTITY: - |
| Approved By: | - | 4 | - | SCALE: AS NOTED |







Standards Development and Performance Testing

1310 Southerfield Road Americus, GA 31709

| Drawn By: | HD | R | EVISIONS | SPECIMEN DWG. NO.: W-2.3 |
|--------------|-----|-------------|----------|------------------------------------------|
| Reviewed By: | - | \triangle | - | JOINERY METHOD NO.: 7mm X 50mm CONFIRMAT |
| Revised By: | HKM | 2 | 7/7/2020 | SPECIMEN MATERIAL: VENEER CORE |
| Revised By: | НКМ | 3 | 7/9/2021 | BATCH QUANTITY: - |
| Approved By: | - | 4 | - | SCALE: AS NOTED |